

CITOVARÁ LITERATURA

VÝZNAM SENZORICKÝCH FUNKCÍ U ADOLESCENTNÍ IDIOPATICKÉ SKOLÍÓZY

Mgr. Tomáš Zemánek

1. SIMONEAU, M. et al. 2006a. Altered Sensory Weighting Mechanisms is Observed in Adolescents with Idiopathic Scoliosis. *BMC Neuroscience* 2006a, vol. 7, no. 68, p. 48-57.
2. BLÁHA, J. Idiopatická skolioza – screening, prognostika a konzervativní terapie. 1. vyd., Hradec Králové: GAUDEAMUS, 2005. s. 36–38.
3. RYZHKOV, I. et al. Transforming Growth Factor Beta 1 is a Novel Susceptibility Gene for 69 Adolescent Idiopathic Scoliosis. *Spine* 2013.
4. LETELLIER, K. et al. Etiopathogenesis of Adolescent Idiopathic Scoliosis and New Molecular Concepts. *Medicine Sciences* 2007, vol. 23, no. 11, pp. 910 – 916.
5. BURWELL, G.R. et al. Adolescent idiopathic scoliosis (AIS): a multifactorial cascade concept for pathogenesis and embryonic origin. *Scoliosis and Spinal Disorders* (2016) 11:8.
6. SEVASTIK, J. et al. A new concept for the etiopathogenesis of the thoracospinal deformity of idiopathic scoliosis: summary of an electronic focus group debate of the IBSE. *Eur Spine J* (2003) 12 :440–450.
7. LE BLANC, R. et al. Possible Relationship Between Idiopathic Scoliosis and Morphologic Somatotypes in Adolescent Females *Ann Chir* 1995, vol. 8, no. 49, pp. 762–767.
8. HERMAN, R. et al. Idiopathic Scoliosis and the Central Nervous System: a Motor Control Problem. *Scoliosis Research Society*. *Spine* 1985, vol. 10, no. 1, pp. 1-14.
9. CHEN, P. et al. The Postural Stability Control and Gait Pattern of Idiopathic Scoliosis Adolescents. *Clin Biomech* 1998, vol. 1, no. 13, pp. 52–58.
10. NAULT, M. L. et al. Relations Between Standing Stability and Body Posture Parameters in Adolescent Idiopathic Scoliosis. *Spine*. 2002, vol. 17, no. 1, pp. 1911–1917.
11. BRUYNEEL, A. V. et al. The Influence of Adolescent Idiopathic Scoliosis on the Dynamical Adaptive Behaviour. *Neurosci Lett*. 2008, vol. 447, pp. 158–163.
12. CHOCKALINGAM, N. et al. Assessment of Ground Reaction Force During Scoliotic Gait. *Eur Spine J*. 2004, vol. 8, no. 13, pp. 750–754.
13. O'BEIRNE, J. et al. Equilibrial Dysfunction in Scoliosis-Cause or Effect? *Spinal Disord*. 1989, vol. 3, no. 2, pp. 184–189.
14. LAO, M. L. M. et al. Impaired Dynamic Balance Control in Adolescents with Idiopathic Scoliosis and Abnormal Somatosensory Evoked Potentials. *J Pediatr Orthop* 2008, vol. 28, no. 8, p. 846-849.
15. FÜSUN, S. et al. Evaluation of balance in young adults with idiopathic scoliosis. *Turk J Phys Med Rehab* 2019;65(3):236-243.
16. BYL, N.N. , GRAY, J. M. Complex Balance Reactions in Different Sensory Conditions: Adolescents with and without Idiopathic Ccoliosis. 1993. *J Orthop Res*. 1993, vol. 2, no. 11. pp. 215-227.
17. BYL, N. N. et al. Postural Imbalance and Vibratory Sensitivity in Patients with Idiopathic Scoliosis: Implications for Tre- atment. *J Orthop Sports 64 Phys Ther*. 1997, vol. 2, no. 26. pp. 60-68.
18. ADAMEC, T. Klinická testování senzorických a gnostických poruch u skolioz – diplomová práce, Univerzita Palackého v Olomouci, Fakulta zdravotnických věd. Vedoucí práce Mgr. Tomáš Zemánek. Olomouc 2013.
19. CARRY, PM. et al. Lateral semicircular canal asymmetry in females with idiopathic scoliosis. *PLoS ONE* 2020. 15(4): e0232417.
20. SHI, L. et al. Automatic MRI Segmentation and Morphoanatomy Analysis of the Vestibular System in Adolescent Idiopathic Scoliosis. *Neuroimage*. 2011. vol. 1, no. 54, pp. 180-188.
21. ZENG, W. et al. Shape Analysis of Vestibular Systems in Dolescent Idiopathic Scoliosis Using Geodesic Spectra. *Med Image Comput Comput Assist Interv*. 2010. vol. 3, no. 13, pp. 538-546.
22. SAHLSTRAND, T., PETRUSON, B. A study of labyrinthine function in patients with adolescent idiopathic scoliosis. I. An electro- -nystagmographic study. *Acta Orthop Scand*. 1979; 50:759–769.
23. SAHLSTRAND, T. et al. Vestibulospinal reflex activity in patients with adolescent idiopathic scoliosis. Postural effects during caloric labyrinthine stimulation recorded by stabilometry. *Acta Orthop Scand*. 1979; 50:275–281.
24. ČAKRT, O. et al. Subjective visual vertical in patients with idiopathic scoliosis. *J Vest Res*. 2011. Vol 21, pp 161 – 165.
25. ANTONIADOU, N. et al. Verticality perception reveals a vestibular deficit in adolescents with idiopathic scoliosis. *Exper Brain Res* 236. 2018. Pp. 1725 – 1734.
26. MALLAU, S. et al. Locomotor Skills and Balance Strategies in Adolescents Idiopathic Scoliosis. *Spine*. 2007; 32:pp14–22.
27. WIENER-VACHER, S., MAZDA, K. Assymmetric otolith vestibulo-ocular responses in children with idiopathic scoliosis. *The Journal of Pediatrics*. 1998; 132:1028–1032.
28. CATANZARITI, J.F. et al. Visual deficiency and scoliosis. *Spine*.2001 Jan 1; 26 (1):pp. 48 – 52.
29. GIEYSZTOR, E.Z. et al. Trunk rotation due to presistence of primitive reflexes in early school – age children. *Adv Clin Exp Med*. 2018; 27 (3); pp. 363 – 366.
30. GIEYSZTOR, E.Z. et al. Pelvic symmetry is influenced by asymmetrical tonic neck reflex during young children´s gait. *Int J Environ Res Public Health* 2020, 17, 4759.