

Citovaná literatura

VPLYV POHYBOVÉJ AKTIVITY NA DYSFUNKCIU DOLNÝCH MOČOVÝCH CIEST

Prof. doc. PhDr. Magdaléna Hagovská, PhD. Cert.MDT. MPH.

1. HAYLEN BT, DE RIDDER D, FREEMAN RM, et al. An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for female pelvic floor dysfunction. *Int Urogynecol J*. 2010;21(1):5–26.
2. JEAN-BAPTISTE J, HERMIEU JF. Sport and urinary incontinence in women. *Prog Urol*. 2010;20(7):483–490.
3. POŚWIATA A, SOCHA T, OPARA J. Prevalence of stress urinary incontinence in elite female endurance athletes. *J Hum Kinet*. 2014; 30(44):91–96.
4. ALMEIDA MB, BARRAA A, SALTIEL F, SILVA-FILHO AL, FONSECA AM, FIGUEIREDO EM. Urinary incontinence and other pelvic floor dysfunctions in female athletes in Brazil: A cross-sectional study. *Scand J Med Sci Sports*. 2016; 26(9):1109–1116.
5. SIMEONE C, MORONI A, PETTENÒ A, ANTONELLI A, ZANI D, ORIZIO C, COSCIANI CUNICO S. Occurrence rates and predictors of lower urinary tract symptoms and incontinence in female athletes. *Urologia*. 2010; 77(2):139–146.
6. THYSSEN HH, CLEVIN L, OLESEN S, LOSE G. Urinary incontinence in elite female athletes and dancers. *Int Urogynecol J Pelvic Floor Dysfunct*. 2002;13(1):15–17.
7. ASHTON – MILLER JA, DE LANCEY JOL. Functional anatomy of the female pelvic floor. *Ann NY Acad Sci*. 2007; 1101:266–296.
8. DANIEL WW. *Biostatistics: A Foundation for Analysis in the Health Sciences*. 7th edition. New York: John Wiley & Sons;1999.
9. AVERY K, DONOVAN J, PETERS TJ, SHAW CH, GOTOH M, ABRAMS P. ICIQ: A brief and robust measure for evaluating the symptoms and impact of urinary incontinence. *Neurourol Urodyn*. 2004;23(4):322–330.
10. COYNE K, REVICKI D, HUNT T, COREY R, STEWART W, BENTKOVER J, KURTH H, ABRAMS P. Psychometric validation of an overactive bladder symptom and health-related quality of life questionnaire: the OAB-q. *Qual Life Res*. 2002;11(6):563–574.
11. CARDOZO L, STASKIN D, CURRIE B, WIKLUND I, GLOBE D, SIGNORI M, DMOCHOWSKI R, MACDIARMID S, NITTI VW, NOBLETT K. Validation of a bladder symptom screening tool in women with incontinence due to overactive bladder. *Int Urogynecol J*. 2014;25(12):1655–1663.
12. PATRICK DL, MARTIN ML, BUSHNELL DM, YALCIN I, WAGNER TH, BUESCHING DP. Quality of life of women with urinary incontinence: further development of the incontinence quality of life instrument (I-QOL). *Urology*. 1999;53(1):71–76.
13. BUSHNELL DM, MARTIN ML, SUMMERS KH, SVIHRA J, LIONIS C, PATRICK DL. Quality of life of women with urinary incontinence: Cross-cultural performance of 15 language versions of the I-QOL. *Quality of Life Research*. 2005;14(8):1901–1913.
14. CRAIG LC, MARSHALL AL, SJOSTROM M, BAUMAN AE, BOOTH ML, ANISWORTH BE, PRATT M, EKELUND U, YNGVE A, SALLIS JF, OJA P. International Physical Activity Questionnaire: 12-Country Reliability and Validity. *Official Journal of the American College of Sports Medicine*. 2003;35(8):1389–1395.
15. CABRERA FT, ANZANO MS, SÁNCHEZ HIM, MÉNDEZ RS, DEL OLMO FA. Construction and validation of a self-efficacy scale for physical activity. *Rev Esp Salud Publica*. 2011;85(4):405–417.
16. FOZZATTI C, RICCETTO C, HERRMANN V, BRANCALION MF, RAIMONDI M, NASCIF CH, MARQUES LR, PALMA PP. Prevalence study of stress urinary incontinence in women who perform high-impact exercises. *Int Urogynecol J*. 2012;23(12):1687–1691.
17. BØ K, SUNDGOT-BORGEN J. Are former female elite athletes more likely to experience urinary incontinence later in life than non-athletes? *Scand J Med Sci Sports*. 2010; 20(1):100–104.
18. DIAS N, PENG Y, KHAVARI R, NISSRINE A, NAKIB, RM, SWEET GW, TIMM AG, ERDMAN TB, ZHANG Y. Pelvic Floor Dynamics During High-Impact Athletic Activities: A Computational Modeling Study. *Clin Biomech (Bristol, Avon)*. 2017;41:20–27.

Citovaná literatura

VPLYV POHYBOVÉJ AKTIVITY NA DYSFUNKCIU DOLNÝCH MOČOVÝCH CIEST

Prof. doc. PhDr. Magdaléna Hagovská, PhD. Cert.MDT. MPH.

19. NYGAARD I, SHAW J, EGGER MJ. Exploring the association between lifetime physical activity and pelvic floor disorders: study and design challenges. *Contemp Clin Trials* 2012;33(4):819–827.
20. NYGAARD IE, SHAW JM. Physical activity and the pelvic floor. *Am J Obstet Gynecol.* 2016;214(2):164–171.
21. GREYDANUS DE, OMAR H, PRATT HD. The adolescent female athlete: current concepts and conundrums. *Pediatr Clin North Am.* 2010;57(3):697–718.
22. JÁCOME C, OLIVEIRA D, MARQUES A, SÁ-COUTO P. Prevalence and impact of urinary incontinence among female athletes. *Int J Gynaecol Obstet.* 2011;114(1):60–63.
23. BØ K, ANGLÈS-ACEDO S, BATRA A, BRÆKKEN IH, CHAN YL, JORGE CH, KRUGER J, YADAV M, DUMOULIN C. Strenuous physical activity, exercise, and pelvic organ prolapse: a narrative scoping review. *Int Urogynecol J.* 2023 Jun;34(6):1153–1164.
24. KRUGER JA, DIETZ HP, MURPHY BA. Pelvic floor function in elite nulliparous athletes. *Ultrasound Obstet Gynecol.* 2007 Jul;30(1):81–5. doi: 10.1002/uog.4027. PMID: 17497753.
25. YI J, TENFELDE S, TELL D, BRINCAT C, FITZGERALD C. Triathlete Risk of Pelvic Floor Disorders, Pelvic Girdle Pain, and Female Athlete Triad. *Female Pelvic Med Reconstr Surg.* 2016 Sep–Oct;22(5):373–6.
26. ABE-TAKAHASHI Y, KITTA T, OUCHI M, CHIBA H, HIGUCHI M, TOGO M, SHINOHARA N. Examination of pelvic floor muscle elasticity in patients with interstitial cystitis/bladder pain syndrome using real-time tissue elastography. *Int Urogynecol J.* 2022 Mar;33(3):619–626.
27. ABE-TAKAHASHI Y, KITTA T, OUCHI M, CHIBA H, HIGUCHI M, TOGO M, SHINOHARA N. Evaluation of pelvic floor muscle elasticity in patients with overactive bladder syndrome using real-time tissue elastography. *Eur J Obstet Gynecol Reprod Biol.* 2022 Sep;276:9–13.
28. MORIN M, SALOMONI SE, STAFFORD RE, HALL LM, HODGES PW. Validation of shear wave elastography as a noninvasive measure of pelvic floor muscle stiffness. *Neurourol Urodyn.* 2022 Sep;41(7):1620–1628. doi: 10.1002/nau.25010. Epub 2022 Jul 17. PMID: 35842828.
29. RZYMSKI P, BURZYŃSKI B, KNAPIK M, KOCISZEWSKI J, WILCZAK M. How to balance the treatment of stress urinary incontinence among female athletes? *Arch Med Sci.* 2020 Oct 21;17(2):314–322.
30. JUNGINGER B, BAESSLER K, SAPSFORD R, HODGES PW. Effect of abdominal and pelvic floor tasks on muscle activity, abdominal pressure and bladder neck. *Int Urogynecol J* 2010;21:69–77.
31. CAPSON AC, NASHED J, MCLEAN L. The role of lumbopelvic posture in pelvic floor muscle activation in continent women. *J Electromyogr Kinesiol* 2011;21:166–77.
32. BØ K. Urinary incontinence, pelvic floor dysfunction, exercise and sport. *Sports Med* 2004;34:451–64.
33. RUIZ DE VIÑASPRE HERNÁNDEZ R. Efficacy of hypopressive abdominal gymnastics in rehabilitating the pelvic floor of women: A systematic review. *Actas Urol Esp (Engl Ed).* 2018 Nov;42(9):557–566.
34. WEIR LF, NYGAARD IE, WILKEN J, BRANDT D, JANZ KF. Postoperative activity restrictions: any evidence? *Obstet Gynecol.* 2006 Feb;107(2 Pt 1):305–9.
35. EGGER MJ, HAMAD NM, HITCHCOCK RW, COLEMAN TJ, SHAW JM, HSU Y, NYGAARD IE. Reproducibility of intra-abdominal pressure measured during physical activities via a wireless vaginal transducer. *Female Pelvic Med Reconstr Surg.* 2015 May–Jun;21(3):164–9.
36. DE GENNARO JD, DE GENNARO CK, SHAW JM, PETELENZ TJ, NYGAARD IE, HITCHCOCK RW. The Relationship Between Intra-Abdominal Pressure and Body Acceleration During Exercise. *Female Pelvic Med Reconstr Surg.* 2019 May/Jun;25(3):231–237.
37. CACCIARI LP, KRUGER J, GOODMAN J, BUDGETT D, DUMOULIN C. Reliability and validity of intravaginal pressure measurements with a new intravaginal pressure device: The FemFit®. *Neurourol Urodyn.* 2020 Jan;39(1):253–260.
38. DE MATTOS LOURENCO TR, MATSUOKA PK, BARACAT EC, HADDAD JM. Urinary incontinence in female athletes: a systematic review. *Int Urogynecol J.* 2018 Dec;29(12):1757–1763.

Citovaná literatura

VPLYV POHYBOVEJ AKTIVITY NA DYSFUNKCIU DOLNÝCH MOČOVÝCH CIEST

Prof. doc. PhDr. Magdaléna Hagovská, PhD. Cert.MDT. MPH.

39. REE ML, NYGAARD I, BØ K. Muscular fatigue in the pelvic floor muscles after strenuous physical activity. *Acta Obstet Gynecol Scand.* 2007;86(7):870-6.
40. MIDDLEKAUFF ML, EGGER MJ, NYGAARD IE, SHAW JM. The impact of acute and chronic strenuous exercise on pelvic floor muscle strength and support in nulliparous healthy women. *Am J Obstet Gynecol.* 2016 Sep;215(3):316.e1-7.
41. BØ K, ANGLÈS-ACEDO S, BATRA A, BRÆKKEN IH, CHAN YL, JORGE CH, KRUGER J, YADAV M, DUMOULIN C. Strenuous physical activity, exercise, and pelvic organ prolapse: a narrative scoping review. *Int Urogynecol J.* 2023 Jun;34(6):1153-1164.
42. HAGOVSKA M, ŠVIHRA J, BUKOVA A, HORBACZ A, ŠVIHROVA V. The impact of physical activity measured by the International Physical Activity questionnaire on the prevalence of stress urinary incontinence in young women. *Eur J Obstet Gynecol Reprod Biol.* 2018 Sep;228:308-312.
43. HAGOVSKA M, ŠVIHRA J, BUKOVÁ A, DRAČKOVÁ D, ŠVIHROVÁ V. Prevalence and risk of sport types to stress urinary incontinence in sportswomen: A cross-sectional study. *Neurourol Urodyn.* 2018 Aug;37(6):1957-1964.
44. HAGOVSKA M, ŠVIHRA J, BUKOVÁ A, HORBACZ A, DRAČKOVÁ D, ŠVIHROVÁ V, KRAUS L. Prevalence of Urinary Incontinence in Females Performing High-Impact Exercises. *Int J Sports Med.* 2017 Mar;38(3):210-216.
45. PIRES T, PIRES P, MOREIRA H, VIANA R. Prevalence of Urinary Incontinence in High-Impact Sport Athletes: A Systematic Review and Meta-Analysis. *J Hum Kinet.* 2020 Jul 21;73:279-288. doi: 10.2478/hukin-2020-0008. PMID: 32774559; PMCID: PMC7386138.
46. HAGOVSKA M, BUKOVA A, ŠVIHRA J. Measurement of the Vaginal Pressure Profile with the Femfit® and Leakage Events Using a Newly Developed Pad Test during Selected Sports Activities: A Pilot Study. *Int Urogynecol J.* 2025 Apr;36(4):789-797. doi: 10.1007/s00192-025-06051-y. Epub 2025 Jan 21. PMID: 39836175; PMCID: PMC1206446